

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	0	("709"/\$3).ccls. and translat\$3 with dynamic adj (content or item or information) with (client adj side or local\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 10:45
L4	0	("709"/\$3).ccls. and translat\$3 with dynamic adj5 (content or item or information) with (client adj side or local\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 10:45
L6	4	("709"/\$3).ccls. and translat\$3 with (dynamic or support\$3 or localize or localization) adj5 (content or item or information) with (client adj side or local\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 10:50
L7	4	6 and (@AD < "20001101" or @RLAD < "20001101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 10:50
L8	8	("709"/\$3).ccls. and translat\$3 with (dynamic or supportive or localize or localization or supplemental) near10 (data or content or item or information) with (client adj side or local\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 10:52
L9	6	8 and (@AD < "20001101" or @RLAD < "20001101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 10:51
L10	3	9 not 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 10:51
L11	66	translat\$3 near10 language and (dynamic or supportive or localize or localization or supplemental) near10 (data or content or item or information) with (client adj side or local\$3) and (@AD < "20001101" or @RLAD < "20001101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 11:46
L12	3	11 and translat\$3 near10 language. ti,ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 10:53

L15	1	(webpage or page) with translat\$3 near10 language and (dynamic or supportive or localize or localization or supplemental) near10 (data or content or item or information) with (client adj side or local\$3) and (@AD < "20001101" or @RLAD < "20001101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 11:04
L20	50	translat\$3 near10 language and (dynamic or supportive or localize or localization or supplemental) adj5 (data or content or item or information) with (client adj side or local\$3) and (@AD < "20001101" or @RLAD < "20001101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 11:25
L21	42	translat\$3 near10 language and (dynamic or supportive or localize or localization or supplemental) adj5 (data or content or item or information) near20 (client adj side or local\$3) and (@AD < "20001101" or @RLAD < "20001101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 11:33
L22	0	(conver\$4 or translat\$3) near10 (preferred or designated or selected or chosen or elected) near10 language and (dynamic or supportive or localize or localization or supplemental) adj5 (data or content or item or information) near20 (client adj side or local\$3) and (@AD < "20001101" or @RLAD < "20001101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 11:28
L23	0	21 and download near10 (pack or module or object or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 11:36
L24	16	21 and ASP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 11:35
L25	36	21 and (download\$3 or transfer\$4 or transmit\$4 or sen\$4) near10 (pack or module or object or table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 11:37
L26	3	21 and (download\$3 or transfer\$4 or transmit\$4 or sen\$4) near10 (pack or module or object or table) with (client or local)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/02 12:03

177	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8
8	8	8	8	8	8	8	8